

PVC COATED NIPPLES

Features:

- Exterior PVC coating thickness is a minimum 0.040"
- Interior Urethane coating thickness is a minimum 0.002"
- Sizes available are 1/2" to 6"
- Color coded threaded protectors for easy identification of conduit size

Applications:

Allied Tube & Conduit® PVC Coated Nipples are available in all lengths and diameters. All nipples are manufactured from Allied Tube & Conduit® PVC coated conduit.

Standards:

- UL/CUL listed in accordance to UL6 & ANSI C80.1 Standards
- UL/CUL listed rigid ferrous metal conduit with polyvinyl chloride coating verified for PVC adhesion performance
- Complies with NEMA RN-1
- UL File Number E226472 & E230584



Part Number	Trade Size (in)	Length (in)	Weight each (lbs)
PV05CLCN00	½ X CL	1 ⅞	0.11
PV0520CN00	½ X 2	2	0.14
PV0525CN00	½ X 2 ½	2 ½	0.18
PV0530CN00	½ X 3	3	0.21
PV0535CN00	½ X 3 ½	3 ½	0.26
PV0540CN00	½ X 4	4	0.28
PV0550CN00	½ X 5	5	0.35
PV0560CN00	½ X 6	6	0.42
PV0580CN00	½ X 8	8	0.56
PV0510CN00	½ X 10	10	0.60
PV0512CN00	½ X 12	12	0.84
<hr/>			
PV07CLCN00	¾ X CL	1 ⅞	0.11
PV0720CN00	¾ X 2	2	0.20
PV0725CN00	¾ X 2 ½	2 ½	0.24
PV0730CN00	¾ X 3	3	0.29
PV0735CN00	¾ X 3 ½	3 ½	0.35
PV0740CN00	¾ X 4	4	0.39
PV0750CN00	¾ X 5	5	0.49
PV0760CN00	¾ X 6	6	0.50
PV0780CN00	¾ X 8	8	0.78
PV0710CN00	¾ X 10	10	0.97
PV0712CN00	¾ X 12	12	1.12

Part Number	Trade Size (in)	Length (in)	Weight each (lbs)
PV10CLCN00	1 X CL	1 ½	0.11
PV1020CN00	1 X 2	2	0.28
PV1025CN00	1 X 2 ½	2 ½	0.35
PV1030CN00	1 X 3	3	0.42
PV1035CN00	1 X 3 ½	3 ½	0.56
PV1040CN00	1 X 4	4	0.56
PV1050CN00	1 X 5	5	0.70
PV1060CN00	1 X 6	6	0.84
PV1080CN00	1 X 8	8	1.12
PV1010CN00	1 X 10	10	1.45
PV1012CN00	1 X 12	12	1.68
<hr/>			
PV12CLCN00	1¼ X CL	1 ⅞	0.27
PV1220CN00	1¼ X 2	2	0.45
PV1225CN00	1¼ X 2 ½	2 ½	0.36
PV1230CN00	1¼ X 3	3	0.54
PV1235CN00	1¼ X 3 ½	3 ½	0.63
PV1240CN00	1¼ X 4	4	0.99
PV1250CN00	1¼ X 5	5	1.20
PV1260CN00	1¼ X 6	6	1.08
PV1280CN00	1¼ X 8	8	1.35
PV1210CN00	1¼ X 10	10	1.80
PV1212CN00	1¼ X 12	12	2.16



PVC COATED NIPPLES

Part Number	Trade Size (in)	Length (in)	Weight each (lbs)
PV15CLCN00	½ X CL	1 ⅞	0.33
PV1520CN00	½ X 2	2	0.44
PV1525CN00	½ X 2 ½	2 ½	0.55
PV1530CN00	½ X 3	3	0.60
PV1535CN00	½ X 3 ½	3 ½	0.82
PV1540CN00	½ X 4	4	0.88
PV1550CN00	½ X 5	5	1.10
PV1560CN00	½ X 6	6	1.44
PV1580CN00	½ X 8	8	1.76
PV1510CN00	½ X 10	10	2.20
PV1512CN00	½ X 12	12	2.64
<hr/>			
PV20CLCN00	2 X CL	2	0.45
PV2025CN00	2 X 2 ½	2 ½	0.75
PV2030CN00	2 X 3	3	0.90
PV2035CN00	2 X 3 ½	3 ½	1.05
PV2040CN00	2 X 4	4	1.20
PV2050CN00	2 X 5	5	1.50
PV2060CN00	2 X 6	6	1.80
PV2080CN00	2 X 8	8	2.40
PV2010CN00	2 X 10	10	3.00
PV2012CN00	2 X 12	12	3.60
<hr/>			
PV25CLCN00	2 ½ x CL	2 ½	0.68
PV2535CN00	2 ½ X 3 ½	3 ½	1.58
PV2540CN00	2 ½ X 4	4	1.88
PV2550CN00	2 ½ X 5	5	2.25
PV2560CN00	2 ½ X 6	6	2.70
PV2580CN00	2 ½ X 8	8	3.20
PV2510CN00	2 ½ X 10	10	4.50
PV2512CN00	2 ½ X 12	12	5.40
<hr/>			
PV30CLCN00	3 x CL	2 ⅝	0.89
PV3035CN00	3 X 3 ½	3 ½	2.07
PV3040CN00	3 X 4	4	2.36
PV3050CN00	3 X 5	5	2.95
PV3060CN00	3 X 6	6	3.54
PV3080CN00	3 X 8	8	4.72
PV3010CN00	3 X 10	10	5.90
PV3012CN00	3 X 12	12	7.08

Part Number	Trade Size (in)	Length (in)	Weight each (lbs)
PV35CLCN00	3 ½ X CL	2 ¾	1.02
PV3540CN00	3 ½ X 4	4	3.00
PV3550CN00	3 ½ X 5	5	3.55
PV3560CN00	3 ½ X 6	6	4.88
PV3580CN00	3 ½ X 8	8	5.68
PV3510CN00	3 ½ X 10	10	7.10
PV3512CN00	3 ½ X 12	12	8.52
<hr/>			
PV40CLCN00	4 X CL	2 ¾	1.50
PV4040CN00	4 X 4	4	4.00
PV4050CN00	4 X 5	5	5.00
PV4060CN00	4 X 6	6	6.00
PV4080CN00	4 X 8	8	8.00
PV4010CN00	4 X 10	10	10.00
PV4012CN00	4 X 12	12	12.00
<hr/>			
PV50CLCN00	5 X CL	3	1.82
PV5050CN00	5 X 5	5	6.30
PV5060CN00	5 X 6	6	8.60
PV5080CN00	5 X 8	8	10.80
PV5010CN00	5 X 10	10	12.50
PV5012CN00	5 X 12	12	15.12
<hr/>			
PV60CLCN00	6 X CL	3 ⅞	2.10
PV6050CN00	6 X 5	5	7.10
PV6060CN00	6 X 6	6	9.20
PV6080CN00	6 X 8	8	11.30
PV6010CN00	6 X 10	10	13.90
PV6012CN00	6 X 12	12	16.80

